# ENCLOSED 7' WIDE XLT PRO SERIES

**CARGO TRAILERS** 





#### 7'X14' - 7'X16'

#### STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop
- Rear Ramp w/ Spring Assist & Aluminum Hardware (XLT)
- Double Barn Doors w/ Full Length Locking Bar (XLT-BD)
- > Plastic Salem Vents
- > (1) Interior Dome Light near SAD (No
- Wall Switch)
- > Exterior LED Lighting
- > LED Slimline Stop/Turn/Tail Lights
- > LED ID Marker Light Bar (Top/Center Bulkhead)
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > 3" Exterior Trim
- > 4-Year Limited Warranty

#### STANDARD SPECIFICATIONS

TAILER MODEL	7x14 XLT Pro	7x14 XLT-BD Pro	7x16 XLT Pro	7x16 XLT-BD Pro
Model Number	EZEC7x14XLT-P	EZEC7x14XLT-BDP	EZEC7x16XLT-P	EZEC7x16XLT-BDP
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxLxH)	84"x14 x78"	84"x14 x78"	84"x16 x78"	84"x16 x78"
Interior (WxLxH)	81.25"x13'10x76"	81.25"x13'10x76"	81.25"x15'10x76"	81.25"x15'10x76"
Overall (WxLxH)	101"x18'8x97"	101"x18'8x97"	101"x20'8x97"	101"x20'8x97"
Deck Height	19"	19"	19"	19"
Hitch Height	18"	18"	18"	18"
Rear Door Opening (WxH)	76"x72"	76"x72"	76"x72"	76"x72"
V-Nose	18"	18"	18"	18"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Gloss Black Mods			
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x66"	32"x66"	32"x66"	32"x66"
Ball Size	2-5/16"	2-5/16"	2-5/16"	2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains				
Curb Weight	1480#	1480#	1580#	1580#
Payload	5520#	5520#	5420#	5420#



### 7' WIDE XLT PRO SERIES

**ENCLOSED CARGO TRAILERS CONTINUED** 

**7'X14' - 7'X16'** continued

#### **OPTIONS & ACCESSORIES**

#### **CONSTRUCTION OPTIONS**

Add 6" to Box Height (PBF)

#### **TIRE/WHEEL ASSEMBLIES & ACCESSORIES**

Spare 15" Silver Mod Wheel w/ 205/75R15 Tire

#### DOOR/WINDOW/VENT OPTIONS

Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door (From 66")

#### **COLOR OPTIONS**







Flat Black

























Brandywine



## RAMP CAPACITY BY MODEL

#### **STANDARD SPECIFICATIONS**

RAMP TYPE	Applicable Models	Capacity	
Enclosed Cargo (4' - 6' Wide Models)	(All Sizes)	1500#	
Enclosed Cargo (7 - 7.5' Wide Models)	(All Sizes)	1500#	
Enclosed Cargo (8.5' Wide, Economy)	(All Sizes)	4000#	
Enclosed Car Hauler (8.5' Wide Models)	(All Sizes)	4000#	
Enclosed Snowmobile (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#	
Enclosed Snowmobile (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#	



## TONGUE EXTENSION BY MODEL

TRAILER TYPE	ALLOWABLE EXTENSION	ADDITIONAL REQUIREMENTS	ITEM NUMBER	DESCRIPTION
Enclosed Cargo (4' - 5' Wide)	N/A	Frame Upgrade Required, Consult Engineering	N/A	N/A
Enclosed Cargo (6' - 7.5' Wide)	12"	Economy Models Require Center Beam Upgrade	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade (Not Available for All Sport/Snow Trailers)
Enclosed Cargo (8.5' Wide, Economy)	12" (16" w/ Upgrade)	Min. 6" Frame For 16" Tongue Extension, Upgrade May Be Required	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade (Not Available for All Sport/Snow Trailers)
Enclosed Car Hauler (8.5' Wide, Economy)	12"/16"	Min. 6" Frame For 16" Tongue Extension, Upgrade May Be Required	TONGUE16EXTCH	16" Extended Tongue (For 5k Tandem Axle Enclosed; Trailer Must have 2"x6" Frame or Larger) (Not Available for All Sport/Snow Trailers)
Enclosed Snowmobile (7 - 7.5' Wide)	N/A	Extended Tongue Incompatible With Front Ramp	N/A	N/A

<sup>\*\*</sup>Please note that all 5k tandem trailers w/extended tongues require a minimum of 6" base frame, regardless of brand/model